



Water Quality Program

Permit Submittal Electronic Certification

Permittee: DUVALL CITY

Permit Number: WAR045512

Site Address: 15535 MAIN ST NE
Duvall, WA 98019

Submittal Name: MS4 Annual Report Phase II Western

Version: 1

Due Date: 3/31/2018

Questionnaire

Number	Permit Section	Question	Answer
1	S5.A.2	Attach updated annual Stormwater Management Program Plan (SWMP Plan). (S5.A.2)	2017_Duvall_SWMP (FINAL)_1_0329201809 0557
2	S9.D.5	Attach a copy of any annexations, incorporations or boundary changes resulting in an increase or decrease in the Permittee's geographic area of permit coverage during the reporting period per S9.D.5.	02_Annexations_2_032 92018084331
3	S5.A.3	Implemented an ongoing program to gather, track, and maintain information per S5.A.3, including costs or estimated costs of implementing the SWMP.	Yes
4	S5.A.5.b	Coordinated among departments within the jurisdiction to eliminate barriers to permit compliance. (S5.A.5.b)	Yes
5	S5.C.1.a.i and ii	Attach description of public education and outreach efforts conducted per S5.C.1.a.i and ii.	05_Public Education Tracking_5_032920180 84811
6	S5.C.1.b	Created stewardship opportunities (or partnered with others) to encourage resident participation in activities such as those described in S5.C.1.b.	Yes
8	S5.C.2.a	Describe the opportunities created for the public to participate in the decision making processes involving the development, implementation and updates of the Permittee's SWMP. (S5.C.2.a)	The City provided opportunities for public involvement through public hearings, stewardship programs, and environmental activities.
9	S5.C.2.b	Posted the updated SWMP Plan and latest annual report on your website no later than May 31. (S5.C.2.b)	Yes
9b	S5.C.2.b	List the website address.	http://www.duvallwa.gov/159/Stormwater-System-Information
10	S5.C.3.a.i - vi	Maintained a map of the MS4 including the requirements listed in S5.C.3.a.i.-vi.	Yes
11	S5.C.3.b.v	Implemented a compliance strategy, including informal compliance actions as well as enforcement provisions of the regulatory mechanism described in S5.C.3.b. (S5.C.3.b.v)	Yes

12	S5.C.3.b.vi	Updated, if necessary, the regulatory mechanism to effectively prohibit illicit discharges into the MS4 per S5.C.3.b.vi. (Required no later than February 2, 2018)	Not Applicable
13	S5.C.3.c.i	Implemented procedures for conducting illicit discharge investigations in accordance with S5.C.3.c.i.	Yes
13b	S5.C.3.c.i	Cite methodology	Illicit discharge investigating and field screening is completed as part of catch basin inspection and cleaning program. As well outfall monitoring, employee training, facility monitoring and inspections, and camera investigation as required.
14	S5.C.3.c.i	Percentage of MS4 coverage area screened in reporting year per S5.C.3.c.i. (Required to screen 40% of MS4 no later than December 31, 2017 (except no later than June 30, 2018 for the City of Aberdeen) and 12% on average each year thereafter. (S5.C.3)	74
15	S5.C.3.c.ii	List the hotline telephone number for public reporting of spills and other illicit discharges. (S5.C.3.c.ii)	425.939.8042, 425.419.3748 (after hours, Emergency Only). Non-emergency information may also be sent to stormwater@duvallwa.gov
15b	S5.C.3.c.ii	Number of hotline calls received.	10
16	S5.C.3.c.iii	Implemented an ongoing illicit discharge training program for all municipal field staff per S5.C.3.c.iii.	Yes
17	S5.C.3.c.iv	Informed public employees, businesses, and the general public of hazards associated with illicit discharges and improper disposal of waste. (S5.C.3.c.iv)	Yes
17b	S5.C.3.c.iv	Describe the information sharing actions. (S5.C.3.c.iv)	The public is educated through articles in the city's monthly newsletter and postings on the city NPDES web page. In addition, all public works staff are trained yearly on illicit discharges and response methods.
18	S5.C.3.d	Implemented an ongoing program to characterize, trace, and eliminate illicit discharges into the MS4 per S5.C.3.d.	Yes
19	S5.C.3.d.iv	Number of illicit discharges, including illicit connections, eliminated during the reporting year. (S5.C.3.d.iv)	0

20	S5.C.3.d.iv	Attach a summary of actions taken to characterize, trace and eliminate each illicit discharge found by or reported to the permittee. For each illicit discharge, include a description of actions according to required timeline per S5.C.3.d.iv	Not Applicable
21	S5.C.3.e	Municipal illicit discharge detection staff are trained to conduct illicit discharge detection and elimination activities as described in S5.C.3.e.	Yes
22	S5.C.4.a	Implemented an ordinance or other enforceable mechanism to address runoff from new development, redevelopment and construction sites per the requirements of S5.C.4.a.	Yes
23b	S5.C.4.a.i-iii	Cite code reference for revised ordinance or other enforceable mechanism to address runoff from new development, redevelopment and construction sites.	Duvall Municipal Code 9.06
24	S5.C.4.a.i	Number of exceptions granted to the minimum requirements in Appendix 1. (S5.C.4.a.i., and Section 6 of Appendix 1)	0
25	S5.C.4.a.i	Number of variances granted to the minimum requirements in Appendix 1. (S5.C.4.a.i., and Section 6 of Appendix 1)	0
26	S5.C.4.b.i	Reviewed Stormwater Site Plans for all proposed development activities that meet the thresholds adopted pursuant to S5.C.4.a.i. (S5.C.4.b.i)	Yes
26b	S5.C.4.b.i	Number of site plans reviewed during the reporting period.	82
27	S5.C.4.b.ii	Inspected, prior to clearing and construction, permitted development sites that have a high potential for sediment transport as determined through plan review based on definitions and requirements in Appendix 7 Determining Construction Site Sediment Damage Potential, or alternatively, inspected all construction sites meeting the minimum thresholds adopted pursuant to S5.C.4.a.i. (S5.C.4.b.ii)	Yes
27b	S5.C.4.b.ii	Number of construction sites inspected per S5.C.4.b.ii.	82
28	S5.C.4.b.iii	Inspected permitted development sites during construction to verify proper installation and maintenance of required erosion and sediment controls. (S5.C.4.b.iii)	Yes
28b	S5.C.4.b.iii	Number of construction sites inspected per S5.C.4.b.iii.	82
29	S5.C.4.b.ii, iii and v	Number of enforcement actions taken during the reporting period (based on construction phase inspections at new development and redevelopment projects). (S5.C.4.b.ii, iii and v)	3
30	S5.C.4.b.iv	Inspected all permitted development sites that meet the thresholds in S5.C.4.a.i upon completion of construction and prior to final approval or occupancy to ensure proper installation of permanent stormwater facilities. (S5.C.4.b.iv)	Yes
31	S5.C.4.b.ii-iv	Achieved at least 80% of scheduled construction-related inspections. (S5.C.4.b.ii-iv)	Yes

32	S5.C.4.b.iv	Verified a maintenance plan is completed and responsibility for maintenance is assigned for projects. (S5.C.4.b.iv)	Yes
33	S5.C.4.c	Implemented provisions to verify adequate long-term operation and maintenance (O&M) of stormwater treatment and flow control BMPs/facilities that are permitted and constructed pursuant to S5.C.4. a and b. (S5.C.4.c)	Yes
35	S5.C.4.c.iii	Annually inspected stormwater treatment and flow control BMPs/facilities per S5.C.4.c.iii.	Yes
35b	S5.C.4.c.iii	If using reduced inspection frequency for the first time during this permit cycle, attach documentation per S5.C.4.c.iii	Not Applicable
36	S5.C.4.c.iv	Inspected new residential stormwater treatment and flow control BMPs/facilities and catch basins every 6 months per S5.C.4.c.iv to identify maintenance needs and enforce compliance with maintenance standards.	Yes
37	S5.C.4.c.v	Achieved at least 80% of scheduled inspections to verify adequate long-term O&M. (S5.C.4.c.v)	Yes
38	S4.C.4.c.vi	Verified that maintenance was performed per the schedule in S5.C.4.c.vi when an inspection identified an exceedance of the maintenance standard.	Yes
38b	S5.C.4.c.vi	Attach documentation of any maintenance delays. (S5.C.4.c.vi)	Not Applicable
39	S5.C.4.d	Provided copies of the Notice of Intent for Construction Activity and Notice of Intent for Industrial Activity to representatives of proposed new development and redevelopment. (S5.C.4.d)	Yes
40	S5.C.4.e	All staff responsible for implementing the program to control stormwater runoff from new development, redevelopment, and construction sites, including permitting, plan review, construction site inspections, and enforcement are trained to conduct these activities. (S5.C.4.e)	Yes
42	S5.C.4.g	Participated and cooperated with the watershed-scale stormwater planning process led by a Phase I county. (S5.C.4.g)	Not Applicable
43	S5.C.5.a	Updated and implemented maintenance standards as protective, or more protective, of facility function as those specified in Chapter 4 of Volume V of the Stormwater Management Manual for Western Washington (as amended 2014). (Required no later than December 31, 2016, except no later than June 30, 2017 for Permittees in Lewis and Cowlitz counties, and no later than June 30, 2018 for the City of Aberdeen, S5.C.5.a).	Yes
44	S5.C.5.a	Applied a maintenance standard that is not specified in the Stormwater Management Manual for Western Washington.	No
45	S5.C.5.a.ii	Performed timely maintenance per S5.C.5.a.ii.	Yes

46	S5.C.5.b	Annually inspected all municipally owned or operated permanent stormwater treatment and flow control BMPs/facilities. (S5.C.5.b)	Yes
46b	S5.C.5.b	Number of known municipally owned or operated stormwater treatment and flow control BMPs/facilities. (S5.C.5.b)	125
46c	S5.C.5.b	Number of facilities inspected during the reporting period. (S5.C.5.b)	120
46d	S5.C.5.b	Number of facilities for which maintenance was performed during the reporting period. (S5.C.5.b)	54
47	S5.C.5.b	If using reduced inspection frequency for the first time during this permit cycle, attach documentation per S5.C.5.b.	Not Applicable
48	S5.C.5.c	Conducted spot checks and inspections (if necessary) of potentially damaged stormwater facilities after major storms as per S5.C.5.c.	Yes
49	S5.C.5.d	Inspected all municipally owned or operated catch basins and inlets as per S5.C.5.d, or used an alternative approach. (Required once no later than August 1, 2017 and every two years thereafter, except once no later than June 30, 2018 and every two years thereafter for the City of Aberdeen)	Yes
49b	S5.C.5.d	Number of known catch basins.	2600
49c	S5.C.5.d	Number of catch basins inspected during the reporting period.	1541
49d	S5.C.5.d	Number of catch basins cleaned during the reporting period.	585
50	S5.C.5.d.i-ii	Attach documentation of alternative catch basin cleaning approach, if used. (S5.C.5.d.i or ii)	Not Applicable
51	S5.C.5.f	Implemented practices, policies and procedures to reduce stormwater impacts associated with runoff from all lands owned or maintained by the Permittee, and road maintenance activities under the functional control of the Permittee. (S5.C.5.f)	Yes
52	S5.C.5.g	Implemented an ongoing training program for Permittee employees whose primary construction, operations or maintenance job functions may impact stormwater quality. (S5.C.5.g.)	Yes
53	S5.C.5.h	Implemented a Stormwater Pollution Prevention Plan for all heavy equipment maintenance or storage yards, and material storage facilities owned or operated by the Permittee in areas subject to this Permit that are not required to have coverage under an NPDES permit that covers stormwater discharges associated with the activity. (S5.C.5.h)	Yes
54	S7.A	Complied with the Total Maximum Daily Load (TMDL)-specific requirements identified in Appendix 2. (S7.A)	Not Applicable
55	S7.A	For TMDLs listed in Appendix 2: Attach a summary of relevant SWMP and Appendix 2 activities to address the applicable TMDL parameter(s). (S7.A)	Not Applicable

56	S8.A	Attach a description of any stormwater monitoring or stormwater-related studies as described in S8.A.	Not Applicable
57	S8.B.1	Participated in cost-sharing for the regional stormwater monitoring program (RSMP) for status and trends monitoring. (S8.B.1)	Yes
58	S8.C.1	Participated in cost-sharing for the regional stormwater monitoring program (RSMP) for effectiveness studies. (S8.C.1) (Required to begin no later than August 15, 2014)	Yes
59	S8.D.1	Contributed to the RSMP for source identification and diagnostic monitoring information repository in accordance with S8.D.1. (Required to begin no later than August 15, 2014)	Yes
60	G3	Notified Ecology in accordance with G3 of any discharge into or from the Permittees MS4 which could constitute a threat to human health, welfare or the environment. (G3)	Yes
61	G3	Number of G3 notifications provided to Ecology.	0
62	G3.A	Took appropriate action to correct or minimize the threat to human health, welfare, and/or the environment per G3.A.	Not Applicable
63	S4.F.1	Notified Ecology within 30 days of becoming aware that a discharge from the Permittee's MS4 caused or contributed to a known or likely violation of water quality standards in the receiving water. (S4.F.1)	Not Applicable
64	S4.F.3.a	If requested, submitted an Adaptive Management Response report in accordance with S4.F.3.a.	Not Applicable
65	S4.F.3.d	Attach a summary of the status of implementation of any actions taken pursuant to S4.F.3 and the status of any monitoring, assessment, or evaluation efforts conducted during the reporting period. (S4.F.3.d)	Not Applicable
66	G20	Notified Ecology of the failure to comply with the permit terms and conditions within 30 days of becoming aware of the non-compliance. (G20)	Not Applicable
67	G20	Number of non-compliance notifications (G20) provided in reporting year.	0
67b	G20	List the permit conditions described in non-compliance notification(s).	Not Applicable

I certify under penalty of law, that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system or those persons directly responsible for gathering information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for knowing violations.

Boyd Benson

3/29/2018 9:27:27 AM

Signature

Date

Washington Department of Ecology Electronic Submission Cover Letter



WQWebSubmittal - Submittal Submission Id: 1615534 - 3/29/2018 9:27:29 AM

Company Name	Signer Name	System Name
City of Duvall	Boyd Benson	WQWebPortal

Attachments:

Document Name Or Description	Document Name
WAR045512_2_03292018084331	02_Annexations_2_03292018084331
WAR045512_1_03292018090557	2017_Duvall_SWMP (FINAL)_1_03292018090557
Submitted Copy of Record for City of Duvall	Copy of Record CityofDuvall Thursday March 29 2018
WAR045512_5_03292018084811	05_Public Education Tracking_5_03292018084811

Attestation Agreed to at Signing:

I certify I personally signed and submitted to the Department of Ecology an Electronic Signature Agreement. I understand that use of my electronic signature account/password to submit this information is equal to my written signature. I have read and followed all the rules of use in my Electronic Signature Agreement. I believe no one but me has had access to my password and other account information.

I further certify: I had the opportunity to review the content or meaning of the submittal before signing it; and to the best of my knowledge and belief, the information submitted is true, accurate, and complete. I intend to submit this information as part of the implementation, oversight, and enforcement of a federal environmental program. I am aware there are significant penalties for submitting false information, including possible fines and imprisonment.

For Ecology Use Only



W/NUP5RtiXZmvIoPsLcgyhWgy9JtEzevhpHs2umtgx
+yzq6aoUn/VnWXp14txA5+sOjVYCWMpkGuugjXwGcrRxBJsQj1Y/cozLW1gUkZzTI=